



■ SNR/L型

内径螺纹车刀

刀片: A33,
A39-A44
零配件: P01





刀把型号 Ordering code	尺寸 Dimensions							刀片 Insert	垫片 Shim	螺丝 Screw	扳手 Wrench	侧螺丝 Screw	Stock		Order Number	Price (RMB)
	D	d	f	L	L1	H	°						R	L		
SNR/L0007J08	10	7	5.5	110	16	6	15°	08NR L..		M2.2 x 5	T7		●	●	231100	112
SNR/L0008K08	11	8	6	125	16	7							●	●	231102	112
SNR/L0010K11	13	10	7.2	125	18	9							●	●	231104	112
SNR/L0012M11	15	12	8.7	150	18	11							●	●	231106	120
SNR/L0013N11	16	13	9	160	20	12	15°	11NR L..		M2.5 x 7	T8		●	●	231108	155
SNR/L0014N11	16	14	9	160	20	13							●	●	231110	155
SNR/L0013N16	16	13	9	160	20	12							●	●	231112	155
SNR/L0014N16	16	14	9	160	20	13							●	●	231114	155
SNR/L0016Q16	19	16	11.5	180	25	14.6							●	●	231116	140
SNR/L0020R16	24	20	13.5	200	28	18.4	15°	16NR L..		M3.5 x 10	T15		●	●	231118	156
SNR/L0025S16	29	25	16	250	32	23.4							●	●	231120	220
SNR/L0032T16	36	32	19.5	300	38	30							●	●	231122	360
SNR/L0040T16	44	40	23.5	300	42	38		STM1603R STM1603L	M3.5 x 12	T15	M3 x 8C		●	●	231124	520
SNR/L0050U16	54	50	28.5	350	50	48							●	●	231126	1100
SNR/L0025S22	31	25	18	250	32	23.4							●	●	231128	220
SNR/L0032T22	38	32	21.5	300	38	30	15°	22NR L..	STM1603R STM1603L	M4.5 x 12	T15 T20	M3 x 8C	●	●	231130	360
SNR/L0040T22	46	40	25.5	300	42	38							●	●	231132	520
SNR/L0050U22	56	50	30.5	350	50	48							●	●	231134	1100
碳化钨钢防震内孔螺纹牙刀													231136			
SR0005H-08C-6.4	6.4	5	4.3	100	-	4.5		06NR L..		M2 x 4	T6		●	●	231138	1250
SR0008K-08C-09-20	9	8	5	125	20	7							●	●	231140	1410
SR0008K-08C-10-20	10	8	5.5	125	20	7		08NR L..		M2.2 x 5	T6		●	●	231142	1410
SR0008K-08C-10	10	8	5.9	125	-	7							●	●	231144	1410
SR0010M-11C-12	12	10	7.4	150	-	9							●	●	231146	1470
SR0012M-11C-15	15	12	8.5	150	-	11		11NR L..		M2.5 x 6	T8		●	●	231148	1760
SR0016M-16C-19	19	16	11.7	150	-	14.6							●	●	231150	2490
SR0016R-16C-19	19	16	11.7	200	-	14.6							●	●	231152	2790
SR0020R-16C-24	24	20	13.7	200	-	18.4		16NR L..		M3.5 x 10	T15		●	●	231154	5700
SR0020S-16C-24	24	20	13.7	250	-	18.4							●	●	231156	6600
SR0025S-16C-29	29	25	16.2	250	-	23.4							●	●	231158	7500

■ SNR/L型

内径螺纹车刀

刀片: A33,
A39-A44
零配件: P01





刀把型号 Ordering code	尺寸 Dimensions							刀片 Insert	螺丝 Screw	扳手 Wrench	Stock		Order Number	Price (RMB)
	D	d	f	L	L1	H	°				R	L		
SNR/L0612K06-15	6.4	12	4.3	125	12	11		06NR L..	M2.0 x 4	T6	●	●	231200	300
SNR/L0816K08-18	8	16	5	125	18	14.6		08NR L..	M2.2 x 5	T7	●	●	231202	300
SNR/L0010K11-A16	12	16	7.2	125	20	14.6	15°	11NR L..	M2.5 x 6	T8	●	●	231204	165
SNR/L0012M11-A16	15	16	8.7	150	25	14.6					●	●	231206	165
SNR/L0013N16-A16	16	16	10	160	25	14.6		16NR L..	M3.5 x 10	T15	●	●	231208	165
SNR/L1516M16-A16	15	16	8.5	150	30	14.6					●	●	231210	300

■ CNR/L型

内径螺纹车刀

刀片: A33,
A39-A44
零配件: P01



刀把型号 Ordering code	尺寸 Dimensions							刀片 Insert	垫片 Shim	螺丝 Screw	压板 Clamp	双头螺钉 Screw	扳手 Wrench	Stock		Order Number	Price (RMB)
	D	d	f	L	L1	H	°							R	L		
CNR/L0025S16	29	25	16	250	32	23.4								●	●	231300	280
CNR/L0032T16	36	32	19.5	300	38	30		16NR L..	STM1603R STM1603L	M3.5 x 8		ML618	T15	●	●	231302	420
CNR/L0040T16	44	40	23.5	300	42	38						ML622	L2.5	●	●	231304	600
CNR/L0050U16	54	50	28.5	350	50	48								●	●	231306	1100
CNR/L0025S22	31	25	18	250	32	23.4					HL1808			●	●	231308	280
CNR/L0032T22	38	32	21.5	300	38	30	15°	22NR L..	STM22T3R STM22T3L	M4.5 x 10		ML618	T20	●	●	231310	420
CNR/L0040T22	46	40	25.5	350	42	38						ML622	L2.5	●	●	231312	600
CNR/L0050U22	56	50	30.5	250	50	48								●	●	231314	1100



内孔螺纹车削

内螺纹车削用刀柄 | Inner Hole Thread Turning Holders

SR/L-P型 (偏式牙刀)

内径螺纹车刀

刀片: A33, A39-A44
零配件: P01





刀把型号 Ordering code	尺寸 Dimensions							刀片 Insert	螺丝 Screw	扳手 Wrench	Stock		Order Number	Price (RMB)
	m in	D	d	f	L	L1	h				°	R		
SR/L 0007K08-12P	10	12	7.7	125	18.5	11	15°	08IR/L..	M2.2×5.5	T6	●	●	231400	188
0008K08-12P	10	12	8.4	125	21	11					●	●	231402	188
0008K11-12P	11	12	8.6	125	21	11		11IR/L..	M2.5×6	T8	●	●	231404	188
0008K11-16P	11	16	10.6	125	21	15					●	●	231406	198
0010K11-12P	12	12	7.4	125	26	11					●	●	231408	188
0010K11-16P	12	16	11.7	125	26	15					●	●	231410	198
0012M 11-16P	15	16	11.7	150	31	15					●	●	231412	198

SR/L-S型 (直柄牙刀)

内径螺纹车刀

刀片: A33, A39-A44
零配件: P01





刀把型号 Ordering code	尺寸 Dimensions								刀片 Insert	螺丝 Screw	扳手 Wrench	Stock		Order Number	Price (RMB)
	m in	D	d	f	L	L1	h	b				°	R		
SR/L 0007M 08-S20	10	7	5.3	150	22	20	20	15°	08IR/L..	M2.2×5.5	T6	●	●	231500	188
0008M 08-S20	11	8	5.8	150	25	20	20					●	●	231502	188
0010M 11-S20	12	10	7.4	150	31	20	20		11IR/L..	M2.5×6	T8	●	●	231504	188
0012P11-S20	15	12	8.4	170	37	20	20					●	●	231506	188
0013P16-S20	16	13	10.2	170	40	20	20					16IR/L..	M3.5×7	T15	●
0016Q 16-S20	19	16	11.7	180	49	20	20		●	●	231510				188
0007M 08-S25	10	7	5.3	150	22	25	25		08IR/L..	M2.2×5.5	T6	●	●	231512	198
0008M 08-S25	11	8	5.8	150	25	25	25					●	●	231514	198
0010M 11-S25	12	10	7.4	150	31	25	25		11IR/L..	M2.5×6	T8	●	●	231516	198
0012M 11-S25	15	12	8.4	150	37	25	25					●	●	231518	198
0016Q 16-S25	19	16	11.7	180	49	25	25		16IR/L..	M3.5×7	T15	●	●	231520	198
0020R 16-S25	24	20	13.7	200	61	25	25					●	●	231522	198
0020R22-S25	24	20	15.6	200	61	25	25					22IR/L..	M4×12	T15	●

STTR/L型 (装牙刀)

内径螺纹车刀

刀片: B44
零配件: P01



刀把型号 Ordering code	尺寸 Dimensions							刀片 Insert	螺丝 Screw	扳手 Wrench	Stock		Order Number	Price (RMB)
	D	d	f	L	L1	H	°				R	L		
STTR/L0020Q 16	25	20	14.5	200	26	18.4	15°	TT32R/L	M4×10	T15	●	●	231600	180
STTR/L0025S 16	30	25	17.5	250	30	23.4					●	●	231602	280
STTR/L0032T 16	38	32	22	300	35	30		●	●	231604	450			
STTR/L0025S 22	31	25	18	250	32	23.4		TT43R/L	M5×12	T20	●	●	231606	280
STTR/L0032T 22	39	32	22.5	300	38	30					●	●	231608	450

车削刀柄

CSV 凸轮车床刀具

DS 刀柄

Y轴刀柄

前车削

后车削

小径切槽切断螺纹

小孔加工

滚花车花

焊接车刀夹头

外圆车削刀柄

内孔车削刀柄

螺纹车削刀柄

切槽切断刀柄

车削刀柄

CSV 凸轮车床刀具

DS 刀柄

Y轴刀柄

前车削

后车削

小径切槽切断螺纹

小孔加工

滚花车花

焊接车刀夹头

外圆车削刀柄



内孔车削刀柄

螺纹车削刀柄

切槽切断刀柄

■ SER/L型 外径螺纹车刀



刀片: A33,
A39-A44
零配件: P01



刀把型号 Ordering code	尺寸 Dimensions						刀片 Insert	垫片 Shim	螺丝 Screw	侧螺丝 Screw	扳手 Wrench	Stock		Order Number	Price (RMB)
	h	b	L	L1	h1	f						R	L		
SER/L1010H11	10	10	100	16	10	12	11ER L..		M2.5×6		T8	●	●	232100	160
SER/L1212H11	12	12	100	16	12	16						●	●	232102	140
SER/L1212H16	12	12	100	20	12	18						●	●	232104	150
SER/L1616H16	16	16	100	20	16	20	16ER L..	STM1603R STM1603L	M3.5×12	M3×8C	T15	●	●	232106	150
SER/L2020K16	20	20	125	22	20	25						●	●	232108	150
SER/L2525M16	25	25	150	22	25	32						●	●	232110	200
SER/L3225P16	32	32	170	25	32	32	22ER L..	STM22T3R STM22T3L	M4.5×12	M3×8C	T20 T15	●	●	232112	265
SER/L2525M22	25	25	150	26	25	32						●	●	232114	200
SER/L3225P22	32	32	170	28	32	32						●	●	232116	265

■ CER/L型 外径螺纹车刀



刀片: A33,
A39-A44
零配件: P01



刀把型号 Ordering code	尺寸 Dimensions						刀片 Insert	垫片 Shim	垫片螺丝 Screw	压板 Clamp	双头螺钉 Screw	扳手 Wrench	Stock		Order Number	Price (RMB)
	h	b	L	L1	h1	f							R	L		
CER/L1616H16	16	16	100	20	16	20	16ER L..	STM1603R STM1603L	M3.5×12	HL1808	ML0520	T15 L2.5	●	●	232200	165
CER/L2020K16	20	20	125	22	20	25							●	●	232202	180
CER/L2525M16	25	25	150	22	25	32							●	●	232204	220
CER/L3225P16	32	32	170	25	32	32	22ER L..	STM22T3R STM22T3L	M4.5×14	HL1808	ML0520	T15 L2.5	●	●	232206	300
CER/L2525M22	25	25	150	26	25	32							●	●	232208	220
CER/L3225P22	32	32	170	28	32	32							●	●	232210	300

■ B-SER/L型 外径螺纹车刀

刀片: A33,
A39-A44
零配件: P01



刀把型号 Ordering code	尺寸 Dimensions						刀片 Insert	垫片 Shim	螺丝 Screw	侧螺丝 Screw	扳手 Wrench	Stock		Order Number	Price (RMB)
	h	b	L	L1	h1	f						R	L		
B-SER/L1010H16	10	10	100	20	10	18	16ER L..	STM1603R STM1603L	M3.5×12	M3×8C	T15	●	●	232300	200
B-SER/L1212H16	12	12	100	20	12	18						●	●	232302	150
B-SER/L1616H16	16	16	100	20	16	20						●	●	232304	150
B-SER/L2020K16	20	20	125	22	20	25						●	●	232306	160
B-SER/L2525M16	25	25	150	22	25	32						●	●	232308	220

外螺纹车削



外螺纹车削用刀柄

Cylindrical thread turning ladders

CTTXR/L型 (装牙刀)

外径螺纹车刀

刀片: B44
零配件: P01





刀把型号 Ordering code	尺寸 Dimensions						刀片 Insert	螺丝 Screw	压板 Clamp	双头螺钉 Screw	扳手 Wrench	Stock		Order Number	Price (RMB)
	h	b	L	L1	h1	f						R	L		
CTTXR/L1010F32	10	10	90	20	10	12	TT32ER..	M4 x 10	HL1808	ML0520	T15 L2.5	●	●	232400	200
CTTXR/L1212H32	12	12	100	20	12	16						●	●	232402	165
CTTXR/L1616H32	16	16	100	20	16	20						●	●	232404	165
CTTXR/L2020K32	20	20	125	22	20	25						●	●	232406	180
CTTXR/L2020K43	20	20	125	28	20	25	TT43ER..	M5 x 12	HL1808	ML0520	T15 L2.5	●	●	232408	180
CTTXR/L2525M 43	25	25	150	30	25	32						●	●	232410	220
CTTXR/L3232P43	32	32	170	30	32	40						●	●	232412	300

KTTXR/L型 (装牙刀)

外径螺纹车刀

刀片: B44
零配件: P01




刀把型号 Ordering code	尺寸 Dimensions						刀片 Insert	螺丝 Screw	扳手 Wrench		Stock		Order Number	Price (RMB)
	h	b	L	L1	h1	f			R	L				
KTTXR/L1010F32	10	10	90	20	10	12	TT32ER..	M4 x 10	L2.5	T15	●	●	232500	200
KTTXR/L1212H32	12	12	100	20	12	16					●	●	232502	165
KTTXR/L1616H32	16	16	100	20	16	20					●	●	232504	165
KTTXR/L2020K32	20	20	125	22	20	25					●	●	232506	180
KTTXR/L2020K43	20	20	125	28	20	25	TT43ER..	M5 x 12	L2.5	T15	●	●	232508	180
KTTXR/L2525M 43	25	25	150	30	25	32					●	●	232510	220
KTTXR/L3232P43	32	32	170	30	32	40					●	●	232512	300

TTX32R型 (装螺纹刀片)



刀把型号 Ordering code	尺寸 Dimensions					TC60M	PR930	PR1115	KW10	ZM930	ZW10	Order Number	Price (RMB)
	适用螺纹	牙距mm	牙 / 英寸	R角	牙型角								
TTX32R/L 6000	M/UN	0.5-2.5/-	-55-10	0.0	60°	180	220	220	180	180	90	232600	90
6001	M/UN	1.0-2.5/-	-24-10	0.1	60°	180	220	220	180	180	90	232602	90
6002	M/UN	1.5-2.5/-	-16-10	0.2	60°	180	220	220	180	180	90	232604	90
6003	M/UN	2.5/-	-11-10	0.3	60°	180	220	220	180	180	90	232606	90
TTX32R/L 5501	G,PT,W	-	28-11/24-10	0.1	55°	180	220	220	180	180	90	232608	90
5502	G,PT,W	-	14-11/14-10	0.2	55°	180	220	220	180	180	90	232610	90
TTX43R/L 6001	M	1.0-2.5/-	-74-8	0.1	60°	250	340	340	220	220	110	232612	110
6002	M	1.5-3.5/-	-16-8	0.2	60°	250	340	340	220	220	110	232614	110
6003	M	2.5-3.5/-	-11-8	0.3	60°	250	340	340	220	220	110	232616	110
6004	M	3.0-3.5/-	-8	0.4	60°	250	340	340	220	220	110	232618	110
TTX43R/L 5501	G,PT,W	-	28-11/24-7	0.1	55°	250	340	340	220	220	110	232620	110
5502	G,PT,W	-	14-11/16-7	0.2	55°	250	340	340	220	220	110	232622	110
5503	G,PT,W	-	11/10-7	0.3	55°	250	340	340	220	220	110	232624	110
5504	G,PT,W	-	-8-7	0.4	55°	250	340	340	220	220	110	232626	110



- 车削刀柄
- CSV 凸轮车床刀具
- DS 刀柄
- Y轴刀柄
- 前车削
- 后车削
- 小径切槽切断螺纹
- 小孔加工
- 滚花车花
- 焊接车刀夹头
- 外圆车削刀柄
- 内孔车削刀柄
- 螺纹车削刀柄
- 切槽切断刀柄