

直柄钻头

NACHI

SUS

M ZG

产品编码：525...



材质	通用型
HSS	

尺寸			单价 (/ 底币)	
刃径	刃长	全长	L (/ 底币)	SUS
0.2	3	19	52	-
0.3	3.5	20	29	-
0.4	5.5	24	24	-
0.5	7.5	27	16.5	18.8
0.6	8.5	30	17.5	15.5
0.7	10	32	11.5	12.5
0.8	11	34	11	9.5
0.9	13	36	11	9.5
1.0	18	40	11	8.8
1.1	20	42	11	8
1.2	20	42	11	8
1.3	22	45	11	8
1.4	23	48	11	8
1.5	23	48	11	8
1.6	25	50	11	8
1.7	25	50	11	8
1.8	28	52	11	8
1.9	28	52	11	8
2.0	29	55	10.5	8
2.1	29	55	10.5	8
2.2	33	58	10.5	8
2.3	33	58	10.5	8
2.4	35	61	10.5	8
2.5	35	61	10.5	8
2.6	37	64	10.5	8
2.7	37	64	10.5	8
2.8	39	67	10.5	8
2.9	42	71	10.5	8
3.0	42	71	10	8
3.1	42	71	11.5	8.5
3.2	42	71	11.5	8.5
3.3	45	73	11.5	8.5
3.4	45	73	11.5	8.5
3.5	45	73	11.5	8.5
3.6	48	76	13	9.5
3.7	48	76	13	9.5
3.8	48	76	13	9.5
3.9	51	79	13	9.5
4.0	54	83	13	9.5
4.1	54	83	15.5	11.3
4.2	54	83	15.5	11.3
4.3	54	83	15.5	11.3
4.4	56	86	15.5	11.3
4.5	56	86	15.5	11.3
4.6	56	86	18	13
4.7	59	89	18	13
4.8	59	89	18	13
4.9	62	92	18	13
5.0	62	92	18	13
5.1	62	92	21	15
5.2	64	95	21	15
5.3	64	95	21	15
5.4	64	95	21	15
5.5	64	95	21	15
5.6	67	98	24	18
5.7	67	98	24	18
5.8	67	98	24	18
5.9	67	98	24	18
6.0	70	102	24	18
6.1	70	102	27.5	20
6.2	70	102	27.5	20
6.3	70	102	27.5	20
6.4	73	105	27.5	20
6.5	73	105	27.5	20
6.6	73	105	31	23.3
6.7	73	105	31	23.3
6.8	73	105	31	23.3
6.9	73	105	31	23.3
7.0	73	105	31	23.3
7.1	75	108	35.5	28.8
7.2	75	108	35.5	28.8
7.3	75	108	35.5	28.8
7.4	78	111	35.5	28.8



精密钻头

尺寸			单价 (/ 底币)	
刃径	刃长	全长	L (/ 底币)	SUS
7.5	78	111	35.5	27.5
7.6	78	111	39	31.3
7.7	81	114	39	31.3
7.8	81	114	39	31.3
7.9	81	114	39	31.3
8.0	81	114	39	28.8
8.1	84	117	43.5	36.3
8.2	84	117	43.5	36.3
8.3	84	117	43.5	36.3
8.4	87	121	43.5	36.3
8.5	87	121	43.5	35
8.6	87	121	49	40
8.7	87	121	49	40
8.8	89	124	49	40
8.9	89	124	49	40
9.0	89	124	49	37.5
9.1	89	124	56.5	47.5
9.2	92	127	56.5	47.5
9.3	92	127	56.5	47.5
9.4	92	127	56.5	47.5
9.5	92	127	56.5	45
9.6	95	130	62.5	50
9.7	95	130	62.5	50
9.8	95	130	62.5	50
9.9	95	130	62.5	50
10.0	95	130	62	47.5
10.1	98	133	70	60
10.2	98	133	70	60
10.3	98	133	70	60
10.4	98	133	70	60
10.5	100	137	70	57.5
10.6	100	137	77.5	72.5
10.7	100	137	77.5	72.5
10.8	103	140	77.5	72.5
10.9	103	140	77.5	72.5
11.0	103	140	77.5	60
11.1	103	140	84.5	77.5
11.2	106	143	84.5	77.5
11.3	106	143	84.5	77.5
11.4	106	143	84.5	77.5
11.5	106	143	84.5	70
11.6	109	146	93	82.5
11.7	109	146	93	82.5
11.8	109	146	93	82.5
11.9	109	146	93	82.5
12.0	111	149	93	75
12.1	111	149	99.5	90
12.2	111	149	99.5	90
12.3	111	149	99.5	90
12.4	114	152	99.5	90
12.5	114	152	99.5	85
12.6	114	152	107.5	95
12.7	114	152	107.5	95
12.8	114	152	107.5	95
12.9	114	152	107.5	95
13.0	114	152	107.5	85
13.5	122	168	162	
14.0	122	168	169	
14.5	122	168	196	
15.0	132	181	200.5	
15.5	132	181	210.5	
16.0	132	181	219.5	
16.5	132	181	234	
17.0	143	194	250	
17.5	143	194	261	

直柄长钻头

产品编码：526...



材质	通用型
HSS	

尺寸			单价 (/ 底币)	
刃径	刃长	全长	L (/ 底币)	SUS
1.0	35	75	43	47.5
	40	100	51	60
1.1	35	75	44	47.5
	40	100	53	60
1.2	35	75	41	47.5
	40	100	49	60
1.3	35	75	39	47.5
	40	100	49	60
1.4	35	75	38	47.5
	40	100	48	60
1.5	35	75	34	45
	40	100	43	60
1.6	35	75	35	45
	40	100	45	60
1.7	35	75	35	45
	40	100	45	60
1.8	35	75	35	45
	40	100	45	60
1.9	35	75	35	45
	40	100	45	60
2.0	40	100	40	37.5
	60	150	47	45
2.1	40	100	42	40
	60	150	51	45
2.2	40	100	42	40
	60	150	51	45
2.3	40	100	42	40
	60	150	51	45
2.4	40	100	42	40
	60	150	51	45
2.5	50	100	40	37.5
	60	150	47	47.5
	100	200	68	
2.6	50	100	45	42.5
	75	150	55	52.5
	100	200	68	
2.7	50	100	45	42.5
	75	150	55	52.5
	100	200	68	
2.8	50	100	45	42.5
	75	150	55	52.5
	100	200	68	
2.9	50	100	45	42.5
	75	150	55	52.5
	100	200	68	
3.0	50	100	42	40
	75	150	52	50
	100	200	65	62.5
3.1	75	150	57	55
	100	200	71	67.5
3.2	75	150	57	55
	100	200	71	67.5
3.3	75	150	57	55
	100	200	71	67.5
3.4	75	150	57	55
	100	200	71	67.5
3.5	75	150	54	55
	100	200	67	62.5
3.6	75	150	64	60
	100	200	78	72.5
	120	250	90	60
	120	300	106	72.5
3.7	75	150	64	60
	100	200	78	72.5
	120	250	90	
	120	300	106	
3.8	75	150	64	60
	100	200	78	72.5
	120	250	90	
	120	300	106	
3.9	75	150	64	60
	100	200	78	72.5
	120	250	90	
	120	300	106	

材质	通用型			
HSS	尺寸			单价 (/ 底币)
	刃径	刃长	全长	L (/ 底币) SUS
	4.0	75	150	61 60
		100	200	73 72.5
		120	250	85
		120	300	100
	4.1	75	150	72 67.5
		100	200	84 77.5
		120	250	101
		120	300	118
	4.2	75	150	72 67.5
		100	200	84 77.5
		120	250	101
		120	300	118
	4.3	75	150	72 67.5
		100	200	84 77.5
		120	250	101
		120	300	118
	4.4	75	150	72 67.5
		100	200	84 77.5
		120	250	101
		120	300	118
	4.5	75	150	68 62.5
		100	200	80 75
		120	250	95
		120	300	111
	4.6	75	150	79 72.5
		100	200	92 85
		120	250	113
		130	300	133
		150	400	260
	4.7	75	150	79 72.5
		100	200	92 85
		120	250	113
		130	300	133
		150	400	260
	4.8	75	150	79 72.5
		100	200	92 85
		120	250	113
		130	300	133
		150	400	260
	4.9	75	150	79 72.5
		100	200	92 85
		120	250	113
		130	300	133
		150	400	260
	5.0	75	150	73 67.5
		100	200	82 80
		120	250	104 95
		130	300	123
		150	400	239
	5.1	75	150	84 77.5
		100	200	103 93.8
		120	250	124
		130	300	145
		150	400	290
	5.2	75	150	84 77.5
		100	200	103 93.8
		120	250	124
		130	300	145
		150	400	290
	5.3	75	150	84 77.5
		100	200	103 93.8
		120	250	124
		130	300	145
		150	400	290
	5.4	75	150	84 77.5
		100	200	103 93.8
		120	250	124
		130	300	145
		150	400	290
	5.5	75	150	79 72.5
		100	200	95 87.5
		120	250	115 107.5
		130	300	135
		150	400	294

高速钢钻头 | High-speed steel drilling

直柄长钻头

NACHI			SU S	
不二越			苏氏	
尺寸			单价 (/ 厘米)	
刃径	刃长	全长	L (/ 厘米)	SUS
5.6	100	150	90	83.8
	100	200	113	105
	120	250	136	
	150	300	159	
	180	400	308	
	180	500	394	
5.7	100	150	90	83.8
	100	200	113	105
	120	250	136	
	150	300	159	
	180	400	308	
	180	500	394	
5.8	100	150	90	83.8
	100	200	113	105
	120	250	136	
	150	300	159	
	180	400	308	
	180	500	394	
5.9	100	150	90	83.8
	100	200	113	105
	120	250	136	
	150	300	159	
	180	400	308	
	180	500	394	
6.0	100	150	84	77.5
	100	200	104	97.5
	120	250	126	117.5
	150	300	148	186
	180	400	304	
	180	500	409	
6.1	100	150	97	87.5
	100	200	120	110
	120	250	145	
	150	300	167	
	100	150	97	87.5
	100	200	120	110
	120	250	145	
	150	300	167	
6.2	100	150	97	87.5
	100	200	120	110
	120	250	145	
	150	300	167	
	100	150	97	87.5
	100	200	120	110
	120	250	145	
	150	300	167	
6.3	100	150	97	87.5
	100	200	120	110
	120	250	145	
	150	300	167	
	100	150	97	87.5
	100	200	120	110
	120	250	145	
	150	300	167	
6.4	100	150	97	87.5
	100	200	120	110
	120	250	145	
	150	300	167	
	100	150	97	87.5
	100	200	120	110
	120	250	145	
	150	300	167	
6.5	100	200	113	87.5
	120	250	135	105
	150	300	155	122.5
	200	400	331	
	200	500	439	
	200	600	612	
6.6	100	200	135	112.5
	120	250	155	122.5
	150	300	179	
6.7	100	200	135	112.5
	120	250	155	122.5
	150	300	179	
6.8	100	200	135	112.5
	120	250	155	122.5
	150	300	179	
6.9	100	200	135	112.5
	120	250	155	122.5
	150	300	179	
7.0	100	200	125	107.5
	120	250	145	115
	150	300	167	132.5
	200	400	333	150
	200	500	462	
	200	600	624	
7.1	100	200	146	132.5
	120	250	169	157.5
	150	300	193	175

材质		通用型				
HSS		刃径	刃长	全长	L (/ 厘米)	SUS
7.2		100	200	146	132.5	
		120	250	169	157.5	
		150	300	193	175	
7.3		100	200	146	132.5	
		120	250	169	157.5	
		150	300	193	175	
7.4		100	200	146	132.5	
		120	250	169	157.5	
		150	300	193	175	
7.5		100	200	137	125	
		120	250	157	145	
		150	300	181	165	
		200	400	354		
		200	500	481		
		200	600	642		
7.6		100	200	161	145	
		120	250	182	170	
		150	300	211	187.5	
7.7		100	400	161	145	
		120	500	182	170	
		150	600	211	187.5	
7.8		100	200	161	145	
		120	250	182	170	
		150	300	211	187.5	
7.9		100	200	161	145	
		120	250	182	170	
		150	300	211	187.5	
8.0		100	200	149	132.5	
		120	250	170	160	
		150	300	198	180	
		200	400	354		
		200	500	511		
		200	600	661		
8.1		100	200	180	162.5	
		120	250	199	185	
		150	300	230	210	
8.2		100	200	180	162.5	
		120	250	199	185	
		150	300	230	210	
8.3		100	200	180	162.5	
		120	250	199	185	
		150	300	230	210	
8.4		100	200	180	162.5	
		120	250	199	185	
		150	300	230	210	
8.5		100	200	168	155	
		120	250	186	172.5	
		150	300	214	197.5	
		200	400	383		
		200	500	544		
		200	600	676		
8.6		100	200	195	175	
		120	250	223	210	
		150	300	250	225	
8.7		100	200	195	175	
		120	250	223	210	
		150	300	250	225	
8.8		100	200	195	175	
		120	250	223	210	
		150	300	250	225	
8.9		100	200	195	175	
		120	250	223	210	
		150	300	250	225	
9.0		100	200	182	162.5	
		120	250	208	187.5	
		150	300	234	210	
		200	400	387		
		200	500	596		
		200	600	815		
9.1		100	200	210	190	
		120	250	235	210	
		150	300	270	245	
9.2		100	200	210	190	
		120	250	235	210	
		150	300	270	245	



尺寸			单价 (/ 厘米)	
刃径	刃长	全长	L (/ 厘米)	SUS
9.3	100	200	210	190
	120	250	235	210
	150	300	270	245
9.4	100	200	210	190
	120	250	235	210
	150	300	270	245
9.5	100	200	195	175
	120	250	219	197.5
	150	300	252	230
	200	400	424	
	200	500	608	
	200	600	882	
	9.6	100	200	225
120		250	254	237.5
150		300	294	265
9.7	100	200	225	202.5
	120	250	254	237.5
	150	300	294	265
9.8	100	200	225	202.5
	120	250	254	237.5
	150	300	294	265
9.9	100	200	225	202.5
	120	250	254	237.5
	150	300	294	265
10.0	100	200	210	190
	120	250	238	225
	150	300	275	250
	200	400	436	
	250	500	631	
	300	600	889	
10.1	100	200	247	225
	120	250	289	265
	150	300	327	295
10.2	100	200	247	225
	120	250	289	265
	150	300	327	295
10.3	100	200	247	225
	120	250	289	265
	150	300	327	295
10.4	100	200	247	225
	120	250	289	265
	150	300	327	295
10.5	120	250	259	212.5
	150	300	294	240
	200	400	477	265
	250	500	653	
	300	600	924	
10.6	120	250	312	292.5
	150	300	361	330
10.7	120	250	312	292.5
	150	300	361	330
10.8	120	250	312	292.5
	150	300	361	330
10.9	120	250	312	292.5
	150	300	361	330
11.0	120	250	280	255
	150	300	323	292.5
	200	400	481	
	250	500	739	
	300	600	1028	
11.1	120	250	356	330
	150	300	394	357.5
11.2	120	250	356	330
	150	300	394	357.5
11.3	120	250	356	330
	150	300	394	357.5
11.4	120	250	356	330
	150	300	394	357.5
11.5	120	250	319	292.5
	150	300	352	320
	200	400	507	
	250	500	795	
	300	600	1179	

斜柄钻头

NACHI

SUS

M ZG

材质
HSS 通用型

产品编码：527...

尺寸					单价 (/ 人民币)		尺寸					单价 (/ 人民币)		尺寸					单价 (/ 人民币)		尺寸					单价 (/ 人民币)																					
刃径	刃长	全长	MT NO.	L (/ 50 TO)	SUS	刃径	刃长	全长	MT NO.	L (/ 50 TO)	SUS	刃径	刃长	全长	MT NO.	L (/ 50 TO)	SUS	刃径	刃长	全长	MT NO.	L (/ 50 TO)	SUS	刃径	刃长	全长	MT NO.	L (/ 50 TO)	SUS																		
7.0	75	155	1	142	112.5	14.3	122	222	2	304	285	21.6	160	260	2	579	645	28.9	180	300	3	1056		7.1	78	158	1	153		14.4	122	222	2	304	285	21.7	160	260	2	579	645	29.0	180	300	3	994	737.5
7.2	78	158	1	153		14.5	122	222	2	294	222.5	21.8	160	260	2	579	645	29.1	185	305	3	1084		7.3	78	158	1	153		14.6	125	225	2	310	285	21.9	160	260	2	579	645	29.2	185	305	3	1084	
7.4	78	158	1	153		14.7	125	225	2	310	285	22.0	160	260	2	561	402.5	29.3	185	305	3	1084		7.5	78	158	1	144		14.8	125	225	2	310	285	22.1	165	265	2	607	675	29.4	185	305	3	1084	
7.6	82	162	1	157		14.9	125	225	2	310	285	22.2	165	265	2	607	675	29.5	185	305	3	1019	842.5	7.7	82	162	1	157		15.0	125	225	2	301	222.5	22.3	165	265	2	607	675	29.6	185	305	3	1140	
7.8	82	162	1	157		15.1	128	228	2	327	325	22.4	165	265	2	607	675	29.7	185	305	3	1140		7.9	82	162	1	157		15.2	128	228	2	327	325	22.5	165	265	2	586	427.5	29.8	185	305	3	1140	
8.0	82	162	1	147	112.5	15.3	128	228	2	327	325	22.6	165	265	2	625	715	29.9	185	305	3	1140		8.1	85	168	1	166		15.4	128	228	2	327	325	22.7	165	265	2	625	715	30.0	185	305	3	1070	842.5
8.2	85	168	1	166		15.5	128	228	2	315	237.5	22.8	165	265	2	625	715	30.1	190	310	3	1193		8.3	85	168	1	166		15.6	130	230	2	341	340	22.9	165	265	2	625	715	30.2	190	310	3	1193	
8.4	85	168	1	166		15.7	130	230	2	341	340	23.0	165	265	2	607	427.5	30.3	190	310	3	1193		8.5	85	168	1	157	127.5	15.8	130	230	2	341	340	23.1	165	285	3	707	745	30.4	190	310	3	1193	
8.6	88	172	1	176		15.9	130	230	2	341	340	23.2	165	285	3	707	745	30.5	190	310	3	1121	915	8.7	88	172	1	176		16.0	130	230	2	331	237.5	23.3	165	285	3	707	745	30.6	190	310	3	1251	
8.8	88	172	1	176		16.1	132	232	2	371	355	23.4	165	285	3	707	745	30.7	190	310	3	1251		8.9	88	172	1	176		16.2	132	232	2	371	355	23.5	165	285	3	663	487.5	30.8	190	310	3	1251	
9.0	88	172	1	166	127.5	16.3	132	232	2	371	355	23.6	165	285	3	732	772.5	30.9	190	310	3	1251		9.1	92	175	1	186		16.4	132	232	2	371	355	23.7	165	285	3	732	772.5	31.0	190	310	3	1172	915
9.2	92	175	1	186		16.5	132	232	2	371	272.5	23.8	165	285	3	732	772.5	31.1	195	315	3	1288		9.3	92	175	1	186		16.6	135	235	2	392	375	23.9	165	285	3	732	772.5	31.2	195	315	3	1288	
9.4	92	175	1	186		16.7	135	235	2	392	375	24.0	165	285	3	688	487.5	31.3	195	315	3	1288		9.5	92	175	1	175	142.5	16.8	135	235	2	392	375	24.1	165	285	3	765	800	31.4	195	315	3	1288	
9.6	95	178	1	194		16.9	135	235	2	392	375	24.2	165	285	3	765	800	31.5	195	315	3	1214	997.5	9.7	95	178	1	194		17.0	135	235	2	380	272.5	24.3	165	285	3	765	800	31.6	195	315	3	1376	
9.8	95	178	1	194		17.1	140	240	2	410	405	24.4	165	285	3	765	800	31.7	195	315	3	1376		9.9	95	178	1	194		17.2	140	240	2	410	405	24.5	165	285	3	718	540	31.8	195	315	3	1376	
10.0	95	178	1	183	142.5	17.3	140	240	2	410	405	24.6	165	285	3	788	840	31.9	195	315	3	1376		10.1	98	182	1	200	190	17.4	140	240	2	410	405	24.7	165	285	3	788	840	32.0	195	315	3	1288	997.5
10.2	98	182	1	200	190	17.5	140	240	2	397	307.5	24.8	165	285	3	788	840	32.5	200	345	4	1467	1105	10.3	98	182	1	200	190	17.6	140	240	2	433	432.5	24.9	165	285	3	788	840	33.0	200	345	4	1441	1105
10.4	98	182	1	200	190	17.7	140	240	2	433	432.5	25.0	165	285	3	739	540	33.5	205	350	4	1554	1175	10.5	98	182	1	194	157.5	17.8	140	240	2	433	432.5	25.1	165	285	3	816		34.0	205	350	4	1517	1175
10.6	102	185	1	210	205	17.9	140	240	2	433	432.5	25.2	165	285	3	816		34.5	205	350	4	1645	1247.5	10.7	102	185	1	210	205	18.0	140	240	2	419	307.5	25.3	165	285	3	816		35.0	205	350	4	1605	1247.5
10.8	102	185	1	210	205	18.1	145	245	2	445	462.5	25.4	165	285	3	816		35.5	210	355	4	1721	1282.5	10.9	102	185	1	210	205	18.2	145	245	2	445	462.5	25.5	165	285	3	765	582.5	36.0	210	355	4	1682	1282.5
11.0	102	185	1	204	157.5	18.3	145	245	2	445	462.5	25.6	165	285	3	841		36.5	210	355	4	1823	1390	11.1	105	188	1	215	217.5	18.4	145	245	2	445	462.5	25.7	165	285	3	841		37.0	210	355	4	1784	1390
11.2	105	188	1	215	217.5	18.5	145	245	2	431	320	25.8	165	285	3	841		37.5	215	360	4	1911	1562.5	11.3	105	188	1	215	217.5	18.6	145	245	2	466	487.5	25.9	165	285	3	841		38.0	215	360	4	1874	1562.5
11.4	105	188	1	215	217.5	18.7	145	245	2	466	487.5	26.0	165	285	3	790	582.5	38.5	215	360	4	2002	1587.5	11.5	105	188	1	209	170	18.8	145	245	2	466	487.5	26.1	170	290	3	874		39.0	215	360	4	1951	1587.5
11.6	108	192	1	232	230	18.9	145	245	2	466	487.5	26.2	170	290	3	874		39.5	220	365	4	2129	1637.5	11.7	108	192	1	232	230	19.0	145	245	2	452	320	26.3	170	290	3	874		40.0	220	365	4	2078	1637.5
11.8	108	192	1	232	230	19.1	150	250	2	491	512.5	26.4	170	290	3	874		40.5	220	365	4	2268		11.9	108	192	1	232	230	19.2	150	250	2	491	512.5	26.5	170	290	3	820	617.5	41.0	220	365	4	2205	1925
12.0	108	192	1	224	180	19.3	150	250	2	491	512.5	26.6	170	290	3	897		41.5	225	370	4	2340		12.1	112	195	1	244	245	19.4	150	250	2	491	512.5	26.7	170	290	3	897		42.0	225	370	4	2294	2000
12.2	112	195	1	244	245	19.5	150	250	2	480	355	26.8	170	290	3	897		42.5	225	370	4	2548		12.3	112	195	1	244	2																		

高速钢钻头 | High-speed steel drilling

斜柄钻头 NACHI

斜柄加长钻头 NACHI



材质	通用型
HSS	

尺寸					单价
刃径	刃长	全长	MT.NO	L1至L5	
56.0	260	440	5	5189	
57.0	260	440	5	5467	
58.0	265	445	5	5698	
59.0	265	445	5	5976	
60.0	270	450	5	6208	
61.0	270	450	5	6486	
62.0	275	455	5	6811	
63.0	275	455	5	7088	
64.0	280	460	5	7389	
65.0	280	460	5	7667	
66.0	285	465	5	7992	
67.0	285	465	5	8316	
68.0	290	470	5	8640	
69.0	290	470	5	8965	
70.0	295	475	5	9289	
71.0	295	475	5	9660	
72.0	300	480	5	10053	
73.0	300	480	5	10447	
74.0	305	485	5	10841	
75.0	305	485	5	11235	
76.0	310	490	5	12995	
77.0	315	560	6	16447	
78.0	315	560	6	17141	
79.0	315	560	6	17605	
80.0	315	560	6	18092	
81.0	325	570	6	18601	
82.0	325	570	6	19111	
83.0	325	570	6	19620	
84.0	325	570	6	20130	
85.0	325	570	6	20640	
86.0	335	580	6	21288	
87.0	335	580	6	21659	
88.0	335	580	6	22168	
89.0	335	580	6	22933	
90.0	335	580	6	23442	
91.0	345	590	6	24346	
92.0	345	590	6	25226	
93.0	345	590	6	25736	
94.0	345	590	6	26639	
95.0	345	590	6	27774	
96.0	355	600	6	28678	
97.0	355	600	6	29813	
98.0	355	600	6	30716	
99.0	355	600	6	31851	
100.0	355	600	6	32754	

斜柄加长钻头

NACHI

材质	通用型				
HSS	尺寸				单价
	刃径	刃长	全长	MT.NO	U1 S15
	7.0	250	150	1	530
		300	200	1	669
		350	225	1	910
	7.5	250	150	1	519
		300	200	1	665
		350	225	1	899
	8.0	250	150	1	512
		300	200	1	653
		350	225	1	878
	8.5	250	150	1	508
		300	200	1	639
		350	225	1	857
	9.0	250	150	1	494
		300	200	1	635
		350	225	1	850
	9.5	250	150	1	494
		300	200	1	635
		350	225	1	843
	10.0	250	150	1	494
		300	200	1	635
		350	225	1	839

材质	通用型	产品编码：528...
HSS		

尺寸					单价
刃径	刃长	全长	MT.NO	L1至L5	
10.5	250	150	1	480	
	300	200	1	619	
	350	225	1	818	
11.0	250	150	1	480	
	300	200	1	619	
	350	225	1	818	
11.5	250	150	1	494	
	300	200	1	621	
	350	225	1	829	
12.0	250	150	1	498	
	300	200	1	635	
	350	225	1	834	
12.5	250	150	1	508	
	300	200	1	646	
	350	225	1	843	
13.0	250	150	1	516	
	300	200	1	531	
	350	225	1	855	
13.5	250	150	1	516	
	300	200	1	658	
	350	225	1	863	
14.0	250	150	1	516	
	300	200	1	674	
	350	225	1	874	
14.5	325	200	2	755	
	375	250	2	961	
	425	275	2	1149	
	475	325	2	1274	
15.0	325	200	2	774	
	375	250	2	975	
	425	275	2	1151	
	475	325	2	1274	
15.5	325	200	2	808	
	375	250	2	1014	
	425	275	2	1202	
	475	325	2	1325	
16.0	325	200	2	808	
	375	250	2	1014	
	425	275	2	1202	
	475	325	2	1325	
16.5	325	200	2	825	
	375	250	2	1114	
	425	275	2	1314	
	475	325	2	1467	
17.0	325	200	2	857	
	375	250	2	1114	
	425	275	2	1314	
	475	325	2	1467	
17.5	325	200	2	887	
	375	250	2	1114	
	425	275	2	1314	
	475	325	2	1467	
18.0	325	200	2	936	
	375	250	2	1186	
	425	275	2	1402	
	475	325	2	1554	
18.5	325	200	2	987	
	375	250	2	1235	
	425	275	2	1467	
	475	325	2	1619	
19.0	325	200	2	989	
	375	250	2	1239	
	425	275	2	1467	
	475	325	2	1631	
19.5	325	200	2	1034	
	375	250	2	1288	
	425	275	2	1517	
	475	325	2	1696	
20.0	325	200	2	1036	
	375	250	2	1288	
	425	275	2	1529	
	475	325	2	1696	

刃径	刃长	全长	MT.NO	L1至L5
20.5	325	200	2	1082
	375	250	2	1339
	425	275	2	1580
	475	325	2	1758
21.0	325	200	2	1091
	375	250	2	1364
	425	275	2	1605
	475	325	2	1798
21.5	325	200	2	1138
	375	250	2	1427
	425	275	2	1670
	475	325	2	1874
22.0	325	200	2	1154
	375	250	2	1427
	425	275	2	1696
	475	325	2	1900
22.5	325	200	2	1209
	375	250	2	1504
	425	275	2	1784
	475	325	2	1976
23.0	325	200	2	1235
	375	250	2	1529
	425	275	2	1810
	475	325	2	2013
23.5	350	200	3	1504
	400	250	3	1747
	450	300	3	2052
	500	350	3	2511
	600	400	3	3083
24.0	350	200	3	1554
	400	250	3	1758
	450	300	3	2078
	500	350	3	2548
	600	400	3	3134
24.5	350	200	3	1594
	400	250	3	1823
	450	300	3	2129
	500	350	3	2588
	600	400	3	3185
25.0	350	200	3	1631
	400	250	3	1860
	450	300	3	2166
	500	350	3	2624
	600	400	3	3236
25.5	350	200	3	1670
	400	250	3	1900
	450	300	3	2191
	500	350	3	2690
	600	400	3	3313
26.0	350	200	3	1696
	400	250	3	1937
	450	300	3	2268
	500	350	3	2752
	600	400	3	3377
26.5	350	200	3	1747
	400	250	3	1987
	450	300	3	2319
	500	350	3	2817
	600	400	3	3454
27.0	350	200	3	1758
	400	250	3	2052
	450	300	3	2435
	500	350	3	2879
	600	400	3	3516
27.5	350	200	3	1835
	400	250	3	2103
	450	300	3	2435
	500	350	3	2945
	600	400	3	3604
28.0	350	200	3	1874
	400	250	3	2155
	450	300	3	2497
	500	350	3	3007
	600	400	3	3669

尺寸				单价
刃径	刃长	全长	MT.NO	U1至U5
28.5	350	200	3	1937
	400	250	3	2205
	450	300	3	2562
	500	350	3	3083
	600	400	3	3771
	350	200	3	1921
	400	250	3	2256
	450	300	3	2613
	500	350	3	3148
	600	400	3	3848
	350	200	3	2013
	400	250	3	2294
	450	300	3	2676
	500	350	3	3225
	600	400	3	3950
	350	200	3	2039
	400	250	3	2319
	450	300	3	2740
	500	350	3	3287
	600	400	3	4015
30.5	350	200	3	2090
	400	250	3	2384
	450	300	3	2817
	500	350	3	3377
	600	400	3	4128
31.0	350	200	3	2129
	400	250	3	2435
	450	300	3	2893
	500	350	3	3465
	600	400	3	4204
31.5	350	200	3	2166
	400	250	3	2485
	450	300	3	2995
	500	350	3	3632
	600	400	3	4332
32.0	350	200	3	2256
	400	250	3	2574
	450	300	3	3109
	500	350	3	3720
	600	400	3	4510
33.0	425	250	4	3250
	475	300	4	3785
	525	350	4	4230
	625	450	4	5224
34.0	425	250	4	3377
	475	300	4	3964
	525	350	4	4434
	625	450	4	5467
35.0	425	250	4	3491
	475	300	4	4117
	525	350	4	4587
	625	450	4	5645
36.0	425	250	4	3644
	475	300	4	4306
	525	350	4	4790
	625	450	4	5900
37.0	425	250	4	3746
	475	300	4	4535
	525	350	4	4667
	625	450	4	6180
38.0	425	250	4	3836
	475	300	4	4702
	525	350	4	5173
	625	450	4	6447
39.0	425	250	4	3975
	475	300	4	4855
	525	350	4	5340
	625	450	4	6665
40.0	425	250	4	4103
	475	300	4	5085
	525	350	4	5543
	625	450	4	6920

SG-ESS铣刀柄钻头

NACHI



材质 SG 具有短长度的钻头, 适用工件材料从碳钢和不锈钢到铝

产品编码: 528...

钨钢钻头

产品编码: 531...



规格	单价 (/底币)	规格	单价 (/底币)
1.0~2.0	17	7.6~8.1	150
2.1~2.5	22	8.2~8.5	185
2.6~3.0	27	8.6~9.0	195
3.6~4.0	40	9.1~9.5	234
4.1~4.5	74	9.6~10.0	280
4.6~5.0	80	10.1~10.5	300
5.1~5.5	88	10.6~11.0	320
5.6~6.0	94	11.1~11.5	360
6.1~6.5	100	11.6~12.0	400
6.6~7.0	120	12.1~12.5	456
7.1~7.5	140	12.6~13.0	480

钨钢定点钻、中心钻



材质 F450 钨钢中心钻 产品编码: 532...

尺寸				单价 (/底币)
刃径	刃长	柄径	全长	
Φ1.0	2.4	4	38	64
Φ1.5	2.4	4	38	64
Φ2.0	2.9	4	50	64
Φ2.0	2.9	6	50	110
Φ2.5	3.1	6	50	110
Φ3.0	3.9	6	50	110
Φ3.0	3.9	8	50	160
Φ4.0	5.0	10	65	250
Φ5.0	6.3	12	60	310
全钨钢定点钻				
刃长	尖端角度	柄径	全长	单价
3	90/135°	Φ3	50	34
4	90/135°	Φ4	55	44
5	90/135°	Φ5	60	60
6	90/135°	Φ6	65	84
8	90/135°	Φ8	80	154
10	90/135°	Φ10	90	234
12	90/135°	Φ12	100	350

M CO钨钢中心钻

M CO



材质 钨钢 通用型

镀钛规格 产品编码: 533...

规格尺寸	单价
CDAA010	313
CDAA015	367
CDAA020	413
CDAA025	533
CDAA030	533
CDAA040	720
CDAA050	987

不镀钛规格 产品编码: 534...

规格	刃径	刃长	全长	柄径	单价
CDA-010	1.0	1.3	40	4.0	260
CDA-015	1.5	1.9	40	5.0	300
CDA-020	2.0	2.6	45	6.0	340
CDA-025	2.5	3.2	60	8.0	440
CDA-030	3.0	3.9	60	8.0	440
CDA-040	4.0	5.8	70	10.0	600
CDA-050	5.0	7.1	75	12.0	820

OK中心钻

产品编码: 529...

OKABE



材质 HSS 通用型

标示说明: 刃径×柄径×全长

规格尺寸	单价
0.4×3.0×31	110
0.5×3.0×31	86
0.6×3.5×36	77
0.8×4.0×36	59
1.0×4.0×36	49
1.2×5.0×42	45
1.5×5.0×42	37
2.0×5.0×42	37
2.5×6.0×47	43
3.0×7.7×57	52
3.2×7.7×57	52
4.0×10×69	103
5.0×11×69	111
6.0×16×90	271
8.0×18×100	425
10×18×100	425

尺寸				单价
刃径	刃长	全长	柄径	LIST 7572

1.0	6	38	3	62	
1.1	6	38	3	57	
1.1	7	39	3	57	
1.2	7	39	3	57	
1.2	8	40	3	57	
1.3	8	40	3	57	
1.3	8	40	3	57	
1.4	9	41	3	57	
1.4	9	41	3	57	
1.5	9	41	3	57	
1.5	9	41	3	57	
1.6	10	42	3	51	
1.6	10	42	3	51	
1.7	10	42	3	51	
1.7	10	42	3	51	
1.8	11	43	3	51	
1.8	11	43	3	51	
1.9	11	43	3	51	
1.9	11	43	3	51	
2.0	12	44	3	51	
2.0	12	44	3	61	
2.1	12	44	3	61	
2.1	12	44	3	61	
2.2	13	45	3	61	
2.2	13	45	3	61	
2.3	13	45	3	61	
2.3	13	45	3	61	
2.4	13	45	3	61	
2.4	14	46	3	61	
2.5	14	46	3	61	
2.5	14	46	3	61	
2.6	14	46	3	61	
2.6	14	46	3	61	
2.7	14	46	3	61	
2.7	16	48	3	61	
2.8	16	48	3	61	
2.8	16	48	3	61	
2.9	16	48	3	61	
2.9	16	48	3	61	
3.0	16	48	3	61	
3.0	16	48	3	61	
3.1	18	50	4	72	
3.1	18	50	4	72	
3.2	18	50	4	72	
3.2	18	50	4	72	
3.3	18	50	4	72	
3.3	18	50	4	72	
3.4	18	50	4	72	
3.4	20	52	4	72	
3.5	20	52	4	72	
3.5	20	52	4	72	
3.6	20	52	4	79	
3.6	20	52	4	79	
3.7	20	52	4	79	
3.7	20	52	4	79	
3.8	20	52	4	79	
3.8	22	54	4	79	
3.9	22	54	4	79	
3.9	22	54	4	79	
4.0	22	54	4	79	
4.0	22	54	4	79	
4.1	22	66	6	89	
4.1	22	66	6	89	
4.2	22	66	6	89	
4.2	22	66	6	89	
4.3	22	66	6	89	
4.3	24	68	6	89	
4.4	24	68	6	89	
4.4	24	68	6	89	
4.5	24	68	6	89	
4.5	24	68	6	89	
4.6	24	68	6	101	
4.6	24	68	6	101	

尺寸				单价
刃径	刃长	全长	柄径	LIST 7572

4.7	24	68	6	101	
4.7	24	68	6	101	
4.8	24	68	6	101	
4.8	26	70	6	101	
4.9	26	70	6	101	
4.9	26	70	6	101	
5.0	26	70	6	101	
5.0	26	70	6	101	
5.1	26	70	6	120	
5.1	26	70	6	120	
5.2	26	70	6	120	
5.2	26	70	6	120	
5.3	26	70	6	120	
5.3	26	70	6	120	
5.4	28	72	6	120	
5.4	28	72	6	120	
5.5	28	72	6	120	
5.5	28	72	6	120	
5.6	28	72	6	128	
5.6	28	72	6	128	
5.7	28	72	6	128	
5.7	28	72	6	128	
5.8	28	72	6	128	
5.8	28	72	6	128	
5.9	28	72	6	128	
5.9	28	72	6	128	
6.0	28	72	6	128	
6.0	28	72	6	128	
6.1	31	75	8	135	
6.2	31	75	8	135	
6.3	31	75	8	135	
6.4	31	75	8	135	
6.5	31	75	8	135	
6.6	31	75	8	140	
6.7	31	75	8	140	
6.8	34	78	8	140	
6.9	34	78	8	140	
7.0	34	78	8	140	
7.1	34	78	8	147	
7.2	34	78	8	147	
7.3	34	78	8	147	
7.4	34	78	8	147	
7.5	34	78	8	147	
7.6	37	81	8	155	
7.7	37	81	8	155	
7.8	37	81	8	155	
7.9	37	81	8	155	
8.0	37	81	8	155	
8.1	37	81	10	167	
8.2	37	81	10	167	
8.3	37	81	10	167	
8.4	37	81	10	167	
8.5	37	81	10	167	
8.6	40	90	10	180	
8.7	40	90	10	180	
8.8	40	90	10	180	
8.9	40	90	10	180	
9.0	40	90	10	180	
9.1	40	90	10	192	
9.2	40	90	10	192	
9.3	40	90	10	192	
9.4	40	90	10	192	
9.5	40	90	10	192	
9.6	43	93	10	204	
9.7	43	93	10	204	
9.8	43	93	10	204	
9.9	43	93	10	204	
10.0	43	100	10	204	
10.1	43	100	12	222	
10.2	43	100	12	222	
10.3	43	100	12	222	
10.4	43	100	12	222	
10.5	43	100	12	222	

材质 HSS 通用型

标示说明: 刃径×柄径×全长


规格尺寸	单价
0.4×3.0×31	110
0.5×3.0×31	86
0.6×3.5×36	77
0.8×4.0×36	59
1.0×4.0×36	49
1.2×5.0×42	45
1.5×5.0×42	37
2.0×5.0×42	37
2.5×6.0×47	43
3.0×7.7×57	52
3.2×7.7×57	52
4.0×10×69	103
5.0×11×69	111
6.0×16×90	271
8.0×18×100	425
10×18×100	425

高速钢/钨钢钻头

High-speed steel/Carbide drilling

钨钢钻头

产品编码: 535...




直径 d	全长 L	刃长 l	单价 Price
1.0	34	12	12
1.1	36	12	12
1.2-1.3	38	16	
1.4-1.5	40	18	
1.6-1.7	43	20	
1.8-1.9	46	22	
2.0	49	24	
2.1	49	24	
2.2-2.3	53	27	
2.4-2.5	57	30	
2.6	57	30	
2.7-3.0	61	33	
3.1-3.3	65	36	
3.4-3.5	70	39	
3.6-3.7	70	39	
3.8-4.0	75	43	
4.1-4.2	75	43	
4.3-4.5	80	47	
4.6-4.7	80	47	
4.8-5.0	86	52	
5.1-5.3	86	52	
5.4-5.5	93	57	
5.6-6.0	93	57	
6.1-6.5	101	63	
6.6-6.7	101	63	
6.8-7.0	109	69	
7.1-7.5	109	69	
7.6-8.0	117	75	
8.1-8.5	117	75	
8.6-9.0	125	81	
9.1-9.5	125	81	
9.6-10.0	133	87	
10.1-10.5	133	87	
10.6	133	87	
10.7-11.0	142	94	
11.1-11.6	142	94	
11.6-11.8	142	94	
11.9-12.0	151	101	
12.1-12.5	151	101	
12.6-13.0	151	101	

■ 适用于NC加工, 可加工铸钢、铸铁、冷硬铸钢、可锻铸铁、耐磨塑料等难切削材料。适用于高速进给、高速切削, 使用寿命长, 快速缩短加工时间, 提升效率。

■ For CNC processing, are process cast steel, cast iron, chilled cast steel, wearable ironwear-resistant plastic and other difficult to cut materials. of high-speed feed, high-speed cutting, get save long life, fast shorten the processing time and enhance efficiency.

90°钨钢NC定点钻头


90°tungsten steel rigid bitixed-point CN



订购编码 Order number	型号 CatNo	尺寸 Size			单价 Price
		直径 d	全长 L	刃长 l	
541100	WP-17C-3	3	45	10	WP-17
541102	WP-17C-4	4	50	12	
541104	WP-17C-5	5	50	15	
541106	WP-17C-6	6	60	20	
541108	8	8	60	25	
541110	10	10	75	25	
541112	12	12	75	30	
541114	16	16	16	35	

90°钨钢镀钛NC定点钻头


90°-Ti-coated steel rigid bitixed-point CN



订购编码 Order number	型号 CatNo	尺寸 Size			单价 Price
		直径 d	全长 L	刃长 l	
541200	WP-17C-3	3	45	10	WP-17
541202	WP-17C-4	4	50	12	
541204	WP-17C-5	5	50	15	
541206	WP-17C-6	6	60	20	
541208	8	8	60	25	
541210	10	10	75	25	
541212	12	12	75	30	
541214	16	16	16	35	

120°钨钢NC定点钻头


120°tungsten steel rigid bitixed-point CN



订购编码 Order number	型号 CatNo	尺寸 Size			单价 Price
		直径 d	全长 L	刃长 l	
541300	WP-17C-3	3	45	10	WP-17
541302	WP-17C-4	4	50	12	
541304	WP-17C-5	5	50	15	
541306	WP-17C-6	6	60	20	
541308	8	8	60	25	
541310	10	10	75	25	
541312	12	12	75	30	
541314	16	16	16	35	

120°钨钢镀钛NC定点钻头


120°-Ti-coated steel rigid bitixed-point CN



订购编码 Order number	型号 CatNo	尺寸 Size			单价 Price
		直径 d	全长 L	刃长 l	
541400	WP-17C-3	3	45	10	WP-17
541402	WP-17C-4	4	50	12	
541404	WP-17C-5	5	50	15	
541406	WP-17C-6	6	60	20	
541408	8	8	60	25	
541410	10	10	75	25	
541412	12	12	75	30	
541414	16	16	16	35	

钨钢机械绞刀

Tungsten steel mechanical reamer



直径 D1 Diameter	刃长 L1 Flute Length	全长 L Overall Length	柄径 D Shank Diameter	刃数 Flute Number	单价 Price
1.0~1.5	9	50	1	3	
1.51~2.0	11	50	1.5	4	
2.01~2.5	14	60	2	4	
2.51~3.0	15	60	2.5	4	
3.01~3.5	15	65	3	4	
3.51~4.0	19	75	3.5	4	
4.01~4.5	21	80	4	6	
4.51~5.0	23	86	4.5	6	
5.01~5.5	26	93	5	6	
5.51~6.0	26	93	5	6	
6.01~6.5	26	93	6	6	
6.51~7.0	31	110	6	6	
7.01~7.5	31	110	6	6	
7.51~8.0	33	110	6	6	
8.01~8.5	33	117	8	6	
8.51~9.0	33	125	8	6	
9.01~9.5	38	135	8	6	
9.51~10.0	38	135	8	6	
10.01~10.5	41	145	10	6	
10.51~11.0	41	145	10	6	
11.01~11.5	45	145	12	6	
11.51~12.0	45	145	12	6	
13~16	52	170	16	8	
17~20	60	200	20	8	

■ 适用于HRC55 以下的合金钢、不锈钢、钛合金、铸铁等难切削材料绞孔。

■ For steel HRC55 steel, stainless steel, titanium, cast iron and other hard twisted hole materials.

快速
钻孔

镗孔
加工
系统

钻头

铰刀

快速
钻头

高精度
镗钻

VMD
大钻头

U钻
配件

BH
镗孔

RBH
粗镗

CBH
精镗

CBR
外圆
精镗

WBST
镗孔

CBI
小径
精镗

精镗
套装

镗孔
配件

BS
粗镗


高速钢
钻头

钨钢
钻头

铰刀

SW RM T

螺旋焊刃式超微粒钨钢
左旋机械铰刀-莫氏锥柄



公制规格

订购编码 Order number	规格 Type	尺寸 单位(mm)						单价 Price
		外径 D (H7)	刃长 H	工作长 L	颈径 d1	莫氏锥柄 MT	齿数 T	
551100	SWRMT-12	12	20	150	11	2#	4	390
551102	SWRMT-14	14	20	150	13	2#	4	410
551104	SWRMT-15	15	25	150	14	3#	4	465
551106	SWRMT-16	16	25	150	15	3#	4	465
551108	SWRMT-17	17	25	150	16	3#	4	510
551110	SWRMT-18	18	35	200	17	3#	5	715
551112	SWRMT-19	19	35	200	18	3#	5	730
551114	SWRMT-20	20	35	200	19	3#	5	735
551116	SWRMT-22	22	35	200	20	3#	5	830
551118	SWRMT-23	23	35	200	21	3#	5	835
551120	SWRMT-24	24	35	200	22	3#	5	865
551122	SWRMT-25	25	35	200	22	3#	5	840
551124	SWRMT-28	28	35	230	25	4#	6	1160
551126	SWRMT-30	30	35	230	26	4#	6	1195
551128	SWRMT-32	32	35	230	28	4#	6	1245
551130	SWRMT-35	35	35	230	31	4#	6	1360
551132	SWRMT-40	40	40	260	34	4#	6	1650
551134	SWRMT-42	42	40	260	36	4#	6	1810
551136	SWRMT-45	45	40	260	38	4#:5#	6	2020
551138	SWRMT-50	50	50	300	44	4#:5#	6	2520
551140	SWRMT-55	55	50	300	46	4#:5#	8	3070
551142	SWRMT-60	60	50	300	50	4#:5#	8	3300

SW R M T


螺旋焊刃式超微粒钨钢左旋机械铰刀-莫氏锥柄

英制规格

订购编码 Order number	规格 Type	尺寸 单位(mm)						单价 Price
		外径 D (H7)	刃长 H	工作长 L	颈径 d1	莫氏锥柄 MT	齿数 T	
551200	SWRIMT-1/2"	1/2"	20	150	12	2#	4	410
551202	SWRIMT-5/8"	5/8"	25	150	15	3#	4	465
551204	SWRIMT-3/4"	3/4"	35	200	18	3#	5	735
551206	SWRIMT-7/8"	7/8"	35	200	20	3#	5	865
551208	SWRIMT-1"	1"	35	200	22	3#	5	1160
551210	SWRIMT-1"1/8	1"1/8	35	230	25	4#	6	1195
551212	SWRIMT-1"1/4	1"1/4	35	230	28	4#	6	1245
551214	SWRIMT-1"3/8	1"3/8	35	230	31	4#	6	1360
551216	SWRIMT-1"1/2	1"1/2	35	260	34	4#	6	1650
551218	SWRIMT-1"5/8	1"5/8	40	260	36	4#	6	1810
551220	SWRIMT-1"3/4	1"3/4	40	260	38	4#	6	2020
551222	SWRIMT-1"7/8	1"7/8	40	260	40	4#	6	2520
551224	SWRIMT-2"	2"	50	300	44	4#	6	3070

SW RM

螺旋焊刃式超微粒
钨钢左旋机械铰刀-直柄




订购编码 Order number	规格 Type
----------------------	------------

单价 Price

SW R I

对焊式超微粒钨钢头
左旋机械铰刀-直柄



英制规格

订购编码 Order number	规格 Type	尺寸 单位(mm)						
		外径 D (H7)	刃长 H	颈径 d ₁	柄长 L ₁	柄径 d (h7)	全长 L	齿数 T
551400	SWRI-1/8"	1/8"	20	3	35	3	75	4
551402	SWRI-3/16"	3/16"	20	4.4	35	4	75	4
551404	SWRI-1/4"	1/4"	30	6	40	6	130	4
551406	SWRI-5/16"	5/16"	30	7.5	40	8	130	5
551408	SWRI-3/8"	3/8"	30	9.3	40	10	130	5
551410	SWRI-7/16"	7/16"	30	10.8	40	12	130	6
551412	SWRI-1/2"	1/2"	30	12	40	12	130	6

SW M

焊刃式超微粒钨钢不等分
左旋机械铰刀-直柄



订购编码 Order number	规格 Type	尺寸 单位(mm)					
		外径 D (H7)	刃长 H	柄长 L ₁	柄径 d (h7)	全长 L	齿数 T
551500	SWM-6	6	26	32	6	93	6T
551502	SWM-7	7	31	36	7	109	6T
551504	SWM-8	8	33	42	8	117	6T
551506	SWM-9	9	36	42	9	125	6T
551508	SWM-10	10	38	45	10	133	6T
551510	SWM-11	11	41	48	10	142	6T
551512	SWM-12	12	44	50	10	151	6T
551514	SWM-13	13	44	50	10	151	6T
551516	SWM-14	14	47	53	12.5	160	6T
551518	SWM-15	15	50	55	12.5	162	6T
551520	SWM-16	16	52	58	12.5	170	6T
551522	SWM-17	17	54	62	14	175	6T
551524	SWM-18	18	56	64	14	182	6T
551526	SWM-19	19	58	66	16	189	6T
551528	SWM-20	20	60	68	16	195	6T

SW M T

焊刃式超微粒钨钢不等分
左旋机械铰刀-莫式锥柄



订购编码 Order number	规格 Type	尺寸 单位(mm)				
		外径 D (H7)	刃长 H	全长 L	莫式锥柄 MT	齿数 T
551600	SWMT-10	10	38	168	1#	6
551602	SWMT-11	11	41	175	1#	6
551604	SWMT-12	12	44	182	1#	6
551606	SWMT-13	13	44	182	1#	6
551608	SWMT-14	14	47	189	1#	6
551610	SWMT-15	15	50	204	2#	6
551612	SWMT-16	16	52	210	2#	6
551614	SWMT-17	17	54	214	2#	6
551616	SWMT-18	18	56	219	2#	6
551618	SWMT-19	19	58	223	2#	6
551620	SWMT-20	20	60	228	2#	6
551622	SWMT-22	22	64	237	2#	6
551624	SWMT-24	24	68	268	2#	8
551626	SWMT-25	25	68	268	2#	8
551628	SWMT-26	26	70	273	3#	8
551630	SWMT-27	27	71	277	3#	8
551632	SWMT-28	28	71	277	3#	8
551634	SWMT-30	30	73	281	3#	8
551636	SWMT-32	32	77	317	4#	8
551638	SWMT-35	35	78	321	4#	8
551640	SWMT-36	36	79	325	4#	8
551642	SWMT-38	38	81	329	4#	8
551644	SWMT-40	40	81	329	4#	8

快速
钻孔

镗孔
加工
系统

钻头

铰刀

快速
钻头

高精度
铰钻

VMD
大钻头

U钻
配件

BH
铰孔

RBH
粗铰

CBH
精铰

CBR
外圆
精铰

WBST
铰孔

CBI
小径
精铰

精铰
套装

铰孔
配件

BS
粗铰

高速钢
钻头

钨钢
钻头

铰刀